New Jersey Division of HIV/AIDS Services Persons Living with HIV/AIDS as of December 31, 2005 Hispanic NJ Residents

			Adult/Ado	olescent *		Pedia	tric *			Tota	al
1.	Current HIV/A	IDS Category	Cases	%		Cases	%			ases	%
	AIDS-Any OI AIDS-CD4 Only HIV Only		1170 2444 3218	47		11 0 45	20 0 80)))		1181 2444 3263	17 35 47
	Total		6832	100		56	100		_	6888	100
2.	Current Age * Cases	8	3. Race/			Cases		Cases	3 %	Cases	%
	<5 10	0		 e, Not His		0	0	0		0	0
	5-12 46	1		x, Not His	_	0	0	0	0	0	0
	13-19 77	1	Hispa	anic	_	6832	100	56	100	6888	100
	20-29 397	6		/Unknown		0		0	0	0	0
	30-39 1850	27									
	40-49 2921	42	Total	L		6832	100	56	100	6888	100
	50+ 1587 Unk. 0	23									
	Total 6888	100									
4.	Patient Group			A	dult/A	dolesce	nt Modi	ified	Expos	ure Cate	egorie
				Males	% 		Female		-	Tota	
	Men sex with			1372)	13	
	Injection dru	g user (IDU)		1489	32		493	3 24	4	198	32
	MSM/IDU			173			C		-	1	
	Heterosexual			1297			1434				31
	Risk not repo	rted/other***		375			116		5	49	91
	Total			4706				3 100		674	
					Pe	diatric	Modifi	ied Ex	kposur	e Catego	ories
				Males	%		Female	es %	-	Tota	al
	Parent at ris			69				 3 9:			
		k/has ATDS/HTV			99					1	32
	Risk not repo								9	1.	32 7
	Risk not repo	rted/other***		#	#			5 9	9		7

NOTE: Includes only those persons known to be infected with HIV.

Total

- Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- Classification based on current age at the end of December 2005.
- ** 83 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.
- *** Included in this category are persons with no other risk identified
 - who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.

70 100

69 100

139 100

**** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2005 Hispanic NJ Residents

	Adult/Ado	lescent*	Pedia	itric*	Total		
1. Disease Category	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	Cases (%)	Deaths (%)	
PCP	2194 (25)	1783 (81)	43 (27)	35 (81)	2237 (25)	1818 (81)	
Other OI w/o PCP	2223 (26)	1604 (72)	110 (69)	71 (65)	2333 (26)	1675 (72)	
KS Alone	129 (1)	# (#)	0 (0)	# (#)	129 (1)	# (#)	
No Disease Listed	4152 (48)	# (#)	6 (4)	# (#)	4158 (47)	# (#)	
Total	8698 (100)	5125 (59)	159 (100)	107 (67)	8857 (100)	5232 (59)	

2. Age *	Cases	%	3. Race/Eth.	Adult/A	Adl* %	Pediatr Cases	ic* %	Total Cases	%
Under 5	115	1	White, Not Hispanic	0	0	0	0	0	0
5-12	44	0	Black, Not Hispanic	0	0	0	0	0	0
13-19	41	0	Hispanic	8698	100	159	100	8857	100
20-29	1585	18	Other/Unknown	0	0	0	0	0	0
30-39	4022	45							
40-49	2174	25	Total	8698	100	159	100	8857	100
Over 49	876	10							
Unknown	0	0							

A Dationt Grown	Adult (Adult annut Madifical Bostonia Catanada et et
4. Patient Group	Adult/Adolescent Modified Exposure Categories **

	Males	8	Females	%	Total	용	
Men sex with men (MSM)	1758	27	0	0	1758	20	
Injection drug user (IDU)	2818	43	767	35	3585	41	
MSM/IDU	317	5	0	0	317	4	
Heterosexual contact***	1257	19	1300	60	2557	29	
Risk not reported/other***	375	6	101	5	476	5	
Total	6525	100	2168	100	8693	100	

				-	Categories	
Male	25	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	80	92	74	96	154	94
Risk not reported/other****	7	8	#	#	10	6
Total	87	100	77	100	164	100

[#] indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

8857 100

Total

^{*} Classification at time of AIDS diagnosis.

^{** 5} patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

^{***} Included in this category are persons with no other risk identified

 $[\]label{lem:who had heterosexual contact with partner(s) whose \ \mbox{HIV infection risk is undocumented/unknown.}$

^{****} Included in this category are persons with transmission categories of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of December 31, 2005 Hispanic NJ Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
Before 1985	89	86	97%
1985	108	101	94%
1986	200	181	91%
1987	249	239	96%
1988	325	313	96%
1989	430	393	91%
1990	482	429	89%
1991	533	476	89%
1992	635	541	85%
1993	922	671	73%
1994	726	474	65%
1995	716	382	53%
1996	607	241	40%
1997	438	192	44%
1998	284	94	33%
1999	336	103	31%
2000	399	95	24%
2001	330	89	27%
2002	321	57	18%
2003	276	43	16%
2004	281	28	10%
2005	170	#	2%
Total	8857	5232	59%

New Jersey Division of HIV/AIDS Services HIV INFECTION-not-AIDS Reports with Identifiers Reported as of December 31, 2005 Hispanic NJ Residents

				Adult/	Adl*	Pediat	ric*	Total	
1. Age *	Cases	%	Race/Ethnicity	Cases	%	Cases	%	Cases	%
Under 5	68	2	White, Not Hispanic	0	0	0	0	0	0
5-12	18	0	Black, Not Hispanic	0	0	0	0	0	0
13-19	91	2	Hispanic	3585	100	86	100	3671	100
20-29	1098	30	Other/Unknown	0	0	0	0	0	0
30-39	1469	40							
40-49	693	19	Total	3585	100	86	100	3671	100
Over 49	234	6							
Unknown	0	0							
Total	3671	100							

Patient Group	Ad	lult/Adole	escent Modif	ied Expo	sure Categoi	cies *
	Males	%	Females	%	Total	%
Men sex with men (MSM)	688	 29		0	688	 19
Injection drug user (IDU)	823	34	302	26	1125	31
MSM/IDU	90	4	0	0	90	3
Heterosexual contact***	588	24	790	67	1378	38
Risk not reported/other***	220	9	83	7	303	8
Total	2409	100	1175	100	3584	100
		Pediat	tric Modifie	d Exposu:	re Categorie	es
	Males	%	Females	%	Total	%
Parent at risk/has AIDS/HIV	43	100	37	84	80	92
Risk not reported/other***	0	0	7	16	7	8

- * Classification at time of first HIV+ test.
- # indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- ** 1 patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- *** Included in this category are persons with no other risk identified who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.
- **** Included in this category are persons with transmission categories of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of December 31, 2005 Hispanic NJ Residents

					Adult/Ado	olescent *	Pe	diatr:	ic *	Tot	cal	
1.	Current HI	IV/AIDS Ca	ategory		Cases	%	Cas	es	%	Cases	%	
	AIDS-Any C AIDS-CD4 C HIV Only				# # 3585	# # 29		 # # 86	# # 34	4982 3875 3671	40 31 29	
	Total				12278	100	2	50	100	12528	100	
					_		Adult/					tal
2.	Age *	Cases	%	3.	Race/Eth.	•	Cases	% 	Cases	%	Cases	%
	Under 5	191	2		White, No	ot Hispanic	0	0	0	0	0	0
	5-12	59	0		Black, No	ot Hispanic	0	0	0	0	0	0
	13-19	164	1		Hispanic	_	12278	100	250	100	12528	100
	20-29	3164	25		Other/Unk	known	0	0	0	0	0	0
	30-39	5384	43			_						
	40-49	2564	20		Total		12278	100	250	100	12528	100
	Over 49	1002	8									
	Unknown	0	0									
	Total	12528	100									

4. Patient Group	Adult/Adolescent Modified Exposure Categori						
	Males	%	Females %	Total	왕		
Men sex with men (MSM)	2446	27	0 0	2446	20		
Injection drug user (IDU)	3641	41	1069 32	4710	38		
MSM/IDU	407	5	0 0	407	3		

	Males	Pediatric %	Modified Females	-	Categories Total	%
Parent at risk/has AIDS/HIV Risk not reported/other***	123 7	95 5	111 10	92 8	234 17	93 7
Total	130	100	121	100	251	100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- Classification at time of first HIV+/AIDS diagnosis.
- ** 1 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.
- *** Included in this category are persons with no other risk identified
 - who had heterosexual contact with partner(s) whose HIV infection risk is undocumented/unknown.
- **** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of December 31, 2005 Hispanic NJ Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis		Number Known Dead	Case-Fatality Rate
Before 1985	100	91	91%
1985	155	135	87%
1986	281	243	86%
1987	377	324	86%
1988	501	426	85%
1989	687	553	80%
1990	816	620	76%
1991	868	612	71%
1992	1236	640	52%
1993	1084	522	48%
1994	868	395	46%
1995	758	269	35%
1996	740	203	27%
1997	596	150	25%
1998	455	101	22%
1999	487	100	21%
2000	600	76	13%
2001	461	70	15%
2002	454	49	11%
2003	398	36	9%
2004	357	#	#
2005	249	#	#
Total	12528	5640	 45%